

1. The foreign reference Yoshio JP 07-165260 was not correctly made of record in the appeal action. The appellant has kindly submitted a complete copy of the foreign reference on December 14, 2007. The submission is acknowledged, and the complete copy is now of record in the file. No further consideration by the examiner is deemed necessary.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryon P. Gehman whose telephone number is (571) 272-4555. The examiner can normally be reached on Tuesday through Thursday from 7:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu, can be reached on (571) 272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Bryon P. Gehman/  
Primary Examiner, Art Unit 3728

Bryon P. Gehman  
Primary Examiner  
Art Unit 3728

BPG